


HEAD OFFICE & DESPATCH CENTRE 8 Selgar Avenue, TONSLEY South Australia 5042

Phone: 1300 786 585

Email: admin@spectrumfloors.com.au
Web: www.spectrumfloors.com.au



CONSTRUCTION



ECOLOGICAL FORMULA

The new Spectrum Floors LVT is inspired by nature, manufactured with phthalate free technology and provides an environmentally friendly flooring solution for the users.

Spectrum Modular is a long lasting flooring solution due to its durability against impacts, stains and scratches thus it is a perfect choice for shops, offices, hotels, restaurants or any other hospitality areas.

Our product has iGuard surface coating with low maintenance requirement.

Due to it's glass fibre reinforcement Spectrum Modular is a dimensionally stable LVT flooring with sound insulating properties and warm underfoot.

Its flexibility provides economic, easy and quick installation.

EASY TO INSTALL THANKS TO IT'S PLANK FORMAT.

Water resistance makes this suitable for wet areas. The optimal solution for hotels, restaurants offices and shops.

TECHNICAL PARAMETER	STANDARD	UNIT	RESULT
DESCRIPTION			
Construction			Luxury Vinyl Tile
Plank size	EN ISO 24341	MM	Wood - 185 x 1220
	EN ISO 24341	ММ	Stone - 305 x 950
Total thickness	EN ISO 24346	MM	2.5
Wear layer thickness	EN ISO 24340	MM	0.55
Total weight	EN ISO 23997	Kg/m2	3.8
CLASSIFICATION			
Binder content	EN ISO 10582		Type I.
European classification	EN ISO 10582	Class	33/42
Residual indentation	EN ISO 24343-1	Max. MM	0.1
Dimensional stability	EN ISO 23999	Max %	0.25
Curling	EN ISO 23999	Max. MM	2
PERFORMANCE			
Abrasion group	EN 660-2	Class	Т
Fire resistance	ISO 9239-1	Class	> 4.5 kW/m2
Slip resistance	AS 4586-2013	Class	Wood - P3
	AS 4586-2013	Class	Stone - P4
Electrical propensity	EN 1815	Max. kV	2 / Antistatic
Thermal resistance	EN12524	m2K/W	0.014
Light fastness	EN ISO 105-B02	Grade	6
Chemical resistance	EN ISO 26987		✓
	ASTM F 925		✓
Bacterial resistance			✓
Castor chair resistance	EN 425 / ISO 4918		✓
Surface treatment			iGUARD PUR Surface
Environmental attributes			Solvent and Phthalate free
Content of PCP	EN 12673		Does not contain
Formaldehyde emission	ENV 717-1		E1 (no emission)
voc			Pass
CE marking	EN 14041		✓












SPECTRUM MODULAR WOOD

185 x 1220mm





17 - LINCOLN *

18 - HAWKESBURY D*

 $\ensuremath{^{\star}}$ Indicates standard Spectrum stock colours. All other colours are special order.

D Indicates discontinued product.





33 - JENOLAN

^{*} Indicates standard Spectrum stock colours. All other colours are special order.

SPECTRUM MODULAR STONE

305 x 610mm



 * Indicates standard Spectrum stock colours. All other colours are special order.

41 - DOLOMITE D

D Indicates discontinued product.

About Spectrum.

At Spectrum, a family business and 100%
Australian owned, we supply the whole package
– from sub floor preparation right through to
the finishing touches, with quality products
and technical know how sourced from leading
manufacturers internationally. This, combined
with our excellent customer service ensures that
Spectrum is the right choice for you!

For more information visit spectrumfloors.com.au

Head Office & Despatch Centre 8 Selgar Avenue, TONSLEY South Australia 5042

Phone: 1300 786 585

Email: admin@spectrumfloors.com.au Web: www.spectrumfloors.com.au

Our Mission.

To be the trusted source of quality flooring and accessories supported by eminent know-how.

Our Vision.

To be the natural first choice for flooring products by specifiers, contractors and end users.



This information is correct at the time of printing 13/11/2018 but the manufacturer reserves the right to carry out modification aimed at product improvement without notice. NOTE: Due to manufacturing limitations there may be variations between the colours of actual flooring and samples images in this brochure. ® Spectrum Floors 2018