Dr. Schutz[®]

Safety Data Sheet

according to WHS Regulations

Printing date 19.02.2019

Version number 5

Revision: 19.02.2019

Not classified as hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

- · Product identifier
- · Identification of the substance/preparation: Dr. Schutz ESD Topcoat (Basis) AUS
- · Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Process category PROC10 Roller application or brushing
- · Application of the substance / the mixture Coating compound/ Surface coating/ paint

· Details of the supplier of the safety data sheet

• **Company/undertaking identification:** Dr. Schutz GmbH Holbeinstr. 17 D-53175 Bonn Germany Tel: +49(0)228-95352-0 Fax: +49(0)228-95352-28 email: info@dr-schutz.com

For Australia: Spectrum Floors (Aust.) Pty. Ltd., 8 Selgar Avenue TONSLEY SA 5042 Tel.: 08 8354 9000 Fax: 08 8354 9045 E-Mail: brent@spectrumfloors.com.au Mobile : 0419 428 660 Further information obtainable from: Department for

- Further information obtainable from: Department for product development
- Emergency telephone number: Spectrum Floors (Aust.) Pty. Ltd. brent@spectrumfloors.com.au 0419 428 660

2 Hazard(s) Identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonised System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

according to WHS Regulations

Printing date 19.02.2019

Version number 5

Revision: 19.02.2019

Identification of the substance/preparation: Dr. Schutz ESD Topcoat (Basis) AUS

(C	ontd. of page 1
· Dangerous components:	
111-90-0 Diethylene glycol monoethyl ether Flam. Liq. 4, H227	1-5%
121-44-8 triethylamine Flam. Liq. 2, H225; Skin Corr. 1A, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	_ ≥0.1-<1%
• Additional information: For the wording of the listed hazard phrases refer to section 16.	

4 First Aid Measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

- No special measures required.
- After inhalation: Supply fresh air.

· After skin contact: After each cleaning use treatment creams, for very dry skin greasy ointments.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Rinse out mouth and then drink plenty of water.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire Fighting Measures

· Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

- For safety reasons unsuitable extinguishing agents: Not applicable.
- · Special hazards arising from the substance or mixture Danger of forming toxic pyrolysis products.
- · Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures
 Avoid contact with the eyes and skin.
 Environmental precautions:
 Prevent from spreading (e.g. by damming-in or oil barriers).
 Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up:
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

(Contd. on page 3)

according to WHS Regulations

Printing date 19.02.2019

Version number 5

Revision: 19.02.2019

Identification of the substance/preparation: Dr. Schutz ESD Topcoat (Basis) AUS

(Contd. of page 2)

7 Handling and Storage

- · Handling:
- **Precautions for safe handling** Follow instructions on the label and in the Technical Product Information Sheet. Avoid contact with the eyes and skin. No special measures required.
- Information about fire and explosion protection: No special precautions are necessary if used correctly.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:
- Protect from frost.

Store under lock and key and out of the reach of children.

- Store receptacle in a well ventilated area.
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters

· Exposure limit values:

121-44-8 triethylamine

- NES Short-term value: 17 mg/m³, 4 ppm
- Long-term value: 8 mg/m³, 2 ppm
- WES Short-term value: 17 mg/m³, 4 ppm Long-term value: 8 mg/m³, 2 ppm
- · DNELs No further relevant information available.
- PNECs No further relevant information available.
- Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Occupational exposure controls:
- · General protective and hygienic measures:
- Do not eat, drink, smoke or sniff while working.
- Be sure to clean skin thoroughly after work and before breaks.
- Respiratory protection: Not required.
- · Protection of hands:
- Impervious gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

AU

according to WHS Regulations

Printing date 19.02.2019

Version number 5

Revision: 19.02.2019

Identification of the substance/preparation: Dr. Schutz ESD Topcoat (Basis) AUS

(Contd. of page 3)

 Eye protection: Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended.
 Body protection:

Not required.

Light weight protective clothing

- · Limitation and supervision of exposure into the environment
- Follow instructions for use, dosage and waste disposal.

Information on basic physical and cher	incal properties
General Information Appearance:	
Form:	Fluid
Colour:	Whitish
Odour:	Specific type
Odour threshold:	Not determined.
pH-value at 20°C:	7.8
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	: 100°C
Flash point:	>100°C (Seta Flash Closed Cup)
Flammability (solid, gas):	Undetermined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20°C:	23 hPa
Density at 20°C:	1.09 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic at 20°C:	50 s (DIN 53211/4)
Solvent content:	
Organic solvents:	4.2 %
VOC (EC)	4.2 %

(Contd. on page 5)

according to WHS Regulations

Printing date 19.02.2019

Version number 5

Revision: 19.02.2019

Identification of the substance/preparation: Dr. Schutz ESD Topcoat (Basis) AUS

(Contd. of page 4)

10 Stability and Reactivity

- · Reactivity see section "Possibility of hazardous reactions".
- · Chemical stability
- Stable at environment temperature. No information available.
- · Conditions to avoid:
- Protect from frost.

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No dangerous reactions known.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation No data available.
- · Serious eye damage/irritation No irritating effect.
- Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

- · Repeated dose toxicity Undetermined.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Undetermined.

12 Ecological Information

- · Toxicity
- Aquatic toxicity: Undetermined.
- · Persistence and degradability

Elimination of contained polymers is possible through precipitation or flocculation. The solvent is biodegradable.

- · Behaviour in environmental systems:
- · Bioaccumulative potential Undetermined.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Behaviour in sewage processing plants:

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge. Before allowing large quantities to be fed into sewage plants, obtain the approval of the responsible authorities.

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)

U.

according to WHS Regulations

Version number 5

Revision: 19.02.2019

Identification of the substance/preparation: Dr. Schutz ESD Topcoat (Basis) AUS

(Contd. of page 5)

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Printing date 19.02.2019

Must be specially treated adhering to official regulations.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Smaller quantities can be disposed of with household waste.

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

14 Transport information	
· UN-Number · ADG, ADN, IMDG, IATA	Void
 · UN proper shipping name · ADG, ADN, IMDG, IATA 	Void
· Transport hazard class(es)	
· ADG, ADN, IMDG, IATA · Class	Void
 Packing group ADG, IMDG, IATA 	Void
 Environmental hazards: Marine pollutant: 	No
· Special precautions for user	Not applicable.
 Transport in bulk according to Ann Marpol and the IBC Code 	ex II of Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory of Chemical Substances

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

26172-55-4 5-chloro-2-methyl-2H-isothiazol-3-one

2682-20-4 2-methyl-2H-isothiazol-3-one

· GHS label elements Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 7)

S6

S6

according to WHS Regulations

Printing date 19.02.2019

Version number 5

Revision: 19.02.2019

Identification of the substance/preparation: Dr. Schutz ESD Topcoat (Basis) AUS

(Contd. of page 6)

· National regulations:

- · Other regulations, limitations and prohibitive regulations
- Other regulations (EC): Directive 2004/42/EC
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

····) -F···· F ····· ····· ·····	
Relevant phrases	
H225 Highly flammable liquid and vapour.	
H227 Combustible liquid.	
H302 Harmful if swallowed.	
H312 Harmful in contact with skin.	
H314 Causes severe skin burns and eye o	damage.
H332 Harmful if inhaled.	
Training hints	
Recommended restriction of use	
Not intended for spraying and industrial pr	ocessing.
Restricted to professional users.	
	chronic or recurring respiratory illnesses should not be
deployed in any process using the product	t.
Department issuing SDS: Department for	or product development
Contact: Dr. Reindl	·· F· · · · · · · · · · · · · · · · · ·
Abbreviations and acronyms:	
	rt des marchandises dangereuses par chemin de fer (Regulations Concernin
the International Transport of Dangerous Goods by	Rail)
ATA-DGR: Dangerous Goods Regulations by the "I	nternational Air Transport Association" (IATA)
ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "Internationa	Civil Aviation Organization" (ICAO)
	ndises dangereuses par Route (European Agreement concerning the
International Carriage of Dangerous Goods by Road	I)
IMDG: International Maritime Code for Dangerous G	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercia ELINCS: European List of Notified Chemical Substa	
CAS: Chemical Abstracts Service (division of the Ar	
VOC: Volatile Organic Compounds (USA, EU)	
DNEL: Derived No-Effect Level (REACH)	
PNEC: Predicted No-Effect Concentration (REACH) PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Flam. Lig. 2: Flammable liquids – Category 2	
Flam. Liq. 4: Flammable liquids – Category 4	
Acute Tox. 4: Acute toxicity – Category 4	A
Skin Corr. 1A: Skin corrosion/irritation – Category 1/	4
* Data compared to the previous versio	a altered